IN RE: HEARING-FOR PROPOSED PLAN SUPERFUND PROGRAM AVCO Lycoming Site Williamsport, PA TRANSCRIPT OF MEETING held at the Sheraton, Williamsport, PA, on Thursday, May 2, 1991. Reported by: Dawn M. Sweeley Official Reporter Lycoming County, PA AR500001

(The meeting began at 7:07 p.m.)
MS. BARNETT:

I am going to go ahead and start. We have a few minutes after seven and I would like to get started.

First of all, thank you for coming. My name is Ary Barnett and I am a community relations coordinator for the Environmental Protection Agency for the Avco Lycoming Superfund Site. That is what we are here to talk about tonight, specifically the proposed clean-up alternatives for the groundwater underneath the Avco Lycoming Superfund Site. If anyone did not get a copy of the proposed clean-up alternatives explanation, also called the proposed plan, we have some in the back there. You can get up and get one or somebody will bring them to you if you raise your hand.

In addition to myself tonight, we have here to my
left Eugene Dennis, who's the remedial project manager for the
Avco Lycoming Superfund Site. We also have Nancy Cichowicz
who's a hydrogeologist for the Avco Lycoming site. We have Deb
Forman who is the toxicologist for the site, and then we have
Jeff Pike who's the chief of the Western Pennsylvania Remedial
Section. And then we also have state officials in the audience.
We have some members of the media as well.

Our agenda tonight and after this brief introduction $\frac{AR50002}{AR50002}$ Eugene Dennis is going to give a short presentation of all the possible clean-up alternatives for the Avco Lycoming

alternative is at this time, at this point, so we are here tonight to take comments on any of the alternatives as well as on the preferred alternative, and we have a good three hours to answer any questions that anybody has, so we'd be happy to have you ask anything you'd like to know.

One thing we do ask, however, is that if you would wait until Eugene Dennis finishes his presentation. One of the reasons I ask that is that if you have a question in the beginning of the presentation he may actually have answered it by the time he finishes. We want to make sure we get all the information out to you we have tonight. No question is too silly. If you're wondering about something, chances are somebody else wants to know the same thing, and we'll try very hard to answer all the questions we get tonight right here and now. However, some questions, if they are very technical in nature or something like that, may take some research back in the office, and I would be happy to coordinate getting back in touch with people to give them answers to their questions.

The questions and comments that we get here tonight are going to be addressed in something called a responsiveness summary, and that will be attached to the back of the decision document. In other words, when EPA based on public comments and and all the other information we have includes the Spean-up alternative for the groundwater, that will be in something

called a record of the decision. The responsiveness summary responding formally to questions and comments will be attached to that record of decision.

The comment period for the Avco Lycoming groundwater alternatives runs from April 17th of this year until May 16th of this year, so if you want to send in any written comments, please have them postmarked on or before the 16th of this month, 16th of May. We also, to my right, have somebody recording the proceedings here because we want to make sure we get all the comments down so we can address them, and because of that, if you have a question or a comment, raise your hand and I will recognize you. Then if you could please state your name before you say what you have to say or ask a question, and if somebody does forget to state their name I'll remind you. It will make it a lot easier for the stenographer if we state our names.

You can send any comments that you may have, any written comments to my address which is in the copy of the proposed plan, Amy Barnett. It's on page 16, and you can send any comments there. My phone number is also there so if something comes up after the meeting in the next two weeks or so, then please feel free to call me at that number. Also, make sure that if you would like to see more technical information about the site you can see that at the James V. Brown Public AR500004 Library. In addition, at that library EPA has placed something called an administrative record. The administrative record is a

with possible clean-up alternatives, come up with possible clean-up alternatives for the groundwater.

Again, if anybody would like to call me after the meeting, my phone number is in the proposed plan. Also, if you would like to be on our mailing list to continue to receive information in the future about the site through the mail, please sign your name, put your address in the sign-in sheet in the back. If you don't feel like being a part of the mailing list, if you could, just initial the mailing list so that — initial the sign-in sheet so we can see how many people were here. That would help a lot.

At this point I'd like to introduce Eugene Dennis who's going to talk to us about the alternatives.

MR. DENNIS:

Good evening. Thank you for coming. My name is
Eugene Dennis. Before I get into the alternatives that we've
selected I'd like to briefly go over a summary of how we got to
this point. Very quickly, in 1984 the Williamsport Municipal
Water Authority identified the presence of vinyl chloride in the
well field, notified DER, Pennsylvania Department of
Environmental Resources, who took action and conducted a study.

In 1985 Avco -- I'll use Avco and Textron $\begin{array}{c} \text{AR50005} \\ \text{interchangeably throughout the meeting, conducted additional} \end{array}$ studies at the site to determine the nature and extent of the

contamination. In November of '85 Avco Lycoming and PADER entered into a consent or agreement to conduct yet additional further groundwater studies and to perform the remedial action. In May of '86 the remedial action plan was approved by the state and included on site and off site groundwater recovery and treatment, as well as bi-monthly groundwater monitoring.

January of '87 the Textron Lycoming facility was proposed for the national priorities list, which basically is the list of the nation's high priority hazardous waste sites. In June of '88 a consent or an agreement was entered into between Textron Lycoming and EPA essentially requiring the facility to conduct a remedial session and feasibility study. In August of '89 the RIFC's study work plans were approved. The federal work was initiated. In February of '90 Textron Lycoming was placed on a national priorities list.

That leads us to this point. After eighteen months of conducting the groundwater investigation, we have received draft reports of the remedial investigation and feasibility study, and based on those reports the agency has developed a list of clean-up alternatives or remedial alternatives which we think will best address the contamination problem in the groundwater at the site.

Before I get into the exact alternatives, I'd like to at least show, based on the results of the remedia investigation, I have identified groundwater contamination that

23

1

2

3

5

6

7

8

10

11

12

13

14

15

16

17

18

19

20

21

22

24

extends beyond the property boundry which stops here and goes as far down as Lycoming Creek and the Elm Park area. This is basically a trichloroethylene, dichloroethylene plume. We also have identified inorganic contamination, basically chromium, that existed in the western portion of the property, strictly confined to the on site portion of the site. Again, based on the results we've identified six alternatives which range from no action, which basically would mean that we would shut off the existing groundwater recovery and treatment systems that are now operating on the facility and do nothing, and that obviously that would come in at a cost of nothing.

To address the groundwater we have the next alternative identified as the GW-1 or groundwater 1 which basically is no further action, which would mean the continued operation of the existing on site and off site groundwater recovery systems with no further additional pumping or treating of the water. That would cost approximately \$160,000.

Secondly, GW-2 is limited action which would basically put institutional controls to minimize future use of the contaminated groundwater in the area. That would cost \$260,000.

Next is groundwater three. This is EPA's preferred alternative, by the way, and includes groundwater recovery and AR500007 treatment on and off site chemical treatment metals, in addition to what is occurring now at the property to address the

contamination chemical treatment for metals; that covers air stripping for the organic emissions controls and discharge of treated water to Lycoming Creek. That would cost \$9,300,000.

These are all estimated costs and they could very well change in the future.

б

The next alternative is Groundwater Four, is groundwater -- basically the same as number three and includes groundwater recovery on site and off site, chemical treatment for metals, and instead of air stripping we would have a process called chemical oxidation to take care and treat the organic contaminants, then the treated groundwater would be discharged.

And lastly Groundwater Five, again, groundwater recovery on site and off site, in addition to what is now occurring at the property, chemical treatment for metals, air treatment, emission controls, reinjection and discharge of the treated water, as well as in-situ biological treatment, basically meaning biological treatment in the aquifer itself by adding nutrients to the treated groundwater injected back into the aquifer trying to treat the plume as it remains under ground.

The reason for selecting the alternative GW-3 basically is based on the cost, is quite cost effective as related to GW-4, and -- by the way GW-1 and GW-2 weren't even \$AR500008\$ considered because obviously they wouldn't deal with any further remediation area than what is going on. GW-3 was selected, as I

stated, based on cost, its implementability. As related to GW-4 and 5, it is cheaper than GW-4 by \$700,000 and over three imillion dollars cheaper than five, and we can effectively get the same results by using GW-3, and it is a proven technology.

1

3

6

8

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Let me remind you that during the comment period we have received or we expect to receive comments from Avco Lycoming based on a meeting that we held with them where they gave an argument as to why we should not include off site groundwater, additional off site groundwater and recovery treatment. At this time we're strongly considering those comments, and as a result, this may lead us to not having the additional off site groundwater recovery and treatment at the time the final decision is made. Unless -- this doesn't necessarily mean additional off site recovery and treatment would not occur. It just means that we may wait until additional information comes forth, both through the results of the on site system as well as additional investigations to determine again the nature and extent of contamination that we're dealing with. That decision ultimately will be made by the time the record of decision is issued at the end of June. If we do include the off site groundwater recovery and treatment at this time during the design phase of that decision we will determine exactly where and how many recovery wells to place in the off site recovery scheme. And with that I'll open up the floor for any questions that anyone may have.

1	MS. BARNETT:
2	Do we have any questions?
3	MR. BARR:
4	Jim Barr, Sun Gazette here in Williamsport. What is
5	the basis of your estimate of the cost for these things?
6	MR. DENNIS:
7	The costs were put together by the consultant workin
8	for Avco Lycoming. I can only respond to you further exactly
9	what they used to put together their cost, and I am not quite
10	sure I am sure it's through years of experience and practice
11	in this field, and how they determine the cost of recovery,
12	well, for example, could be placed the cost of drilling and etc
13	MR. BARR:
14	Roughly twenty-year treatment plan?
15	MR. DENNIS:
16	It could very well be as long as twenty years,
17	possibly longer.
18	MS. CICHOWICZ:
19	They base the costs on thirty years. They base the
20	cost on thirty years operation of the system, and they did a
21	preliminary design of the of on site and off site recovery
22	wells, but it was for thirty years.
23	MR. BARR: AR500010
24	What is the ultimate objective points which you want
25	to reach at the end of that thirty-year period in terms of

1	contamination?
2	MR. DENNIS:
3	We'd like to achieve clean-up goals as identified in
4	the record of decision which would basically be background
5	clean-up goal, that is groundwater concentration of the
6	contaminants in the ground level equivalent to those
7	concentrations that have not been impacted, for example, by the
8	site or the maximum contaminant levels as spelled out by EPA or
9	risk levels, whichever is the lowest.
10	MS. BARNETT:
11	Do we have other questions?
12	MS. YOUNG:
13	Robin Young, WRAK. Regarding the off site clean-up,
14	would that affect residents at all? It's surrounded by
15	residential areas.
16	MR. DENNIS:
17	No, it's not, other than impacts due to drillers
18	coming in and installing the wells or whatnot, but I am not sure
19	what kind of impact you're directing your question at, but
20	MS. YOUNG:
21	I didn't know if any work would be done on
22	properties.
23	MR. DENNIS:
24	We really don't know right now. Again, that's based
25	those decisions are made in the design phase where we would

determine the most appropriate locations to install the wells. 1 MS. BARNETT: Do we have other questions? 3 MR. BITTLE: Yep. Dick Bittle. What's the depth of the 5 groundwater in this area? 6 7 MS. CICHOWICZ: Less than twenty feet. MR. BITTLE: 10 Less than twenty. MS. BARNETT: 11 12 Do we have other questions from the audience? Anyone. Yes? 13 14 MR. OCHS: 15 Michael Ochs, O-C-H-S. In the administrative record filed fact sheet you indicate how the document index was put 16 together and it's to include six items. I was wondering, the 17 four or five and six are not included. Does that come later or 18 19 don't they apply in this case: removal, community involvement, progressional correspondence, imagery and site condition? 20 MS. BARNETT: 21 22 What that means, when we put together an 23 administrative record it contains all the documents that we used 24 to come up with the clean-up alternatives and then to actually include the alternative that's going to be used. What it means 25

is that in those particular three categories no documents were 1 utilized in coming up with these alternatives. If they were to be used from here on in, before we make the decision those would be added to the administrative record. MR. OCHS: You use the Avco consultant estimate on the cost and 6 7 don't make an independent appraisal? 8 MR. PIKE: We'll be doing an independent cost estimate to confirm the cost before our record decision is made, yes. 10 MR. OCHS: 11 For alternative three? 12 13 MR. PIKE: 14 Yes. 15 MR. OCHS: 16 I looked at the data in the library. In volume one, site identification, page AR10001, first page, field trip 17 18 summary report, section 4-B says the southern land use is industrial. Well, it seems to me that residential land 19 surrounds the site. It seemed to be an error on the first page. 20 21 MS. BARNETT: 22 Do you remember what the date of that document was, that particular page? 23 AR500013 24 MR. OCHS:

You don't bring them with you?

```
MS. BARNETT:
 1
                No, we don't.
 2
     MR. DENNIS:
 3
 4
                That, I believe, is when the preliminary
     identification of the site was made based on the preliminary
 5
     assessment, desk top assessment which I would quess is around
 6
     six or seven years old.
 7
 8
     MR. OCHS:
                I mean the residence has not changed. I assume
 9
     you're talking about the Avco site or talking about the plume
10
11
     area.
12
     MR. DENNIS:
                What they're talking about in that particular
13
     document I am not sure.
14
15
     MR. OCHS:
16
                It's the first page of your document.
     MR. DENNIS:
17
                It wasn't remedial investigation, it was the first
18
     page of the report, I believe you're talking about, correct?
19
     MR. OCHS:
20
21
                Page AR10001 of the site identification called field
22
     trip summary report.
23
    MR. DENNIS:
24
                That is a summary report of a -- during the
                                                                Those
25
     identification process they do a preliminary assessment.
```

assessments basically -- that obviously is an error. At the 1 2 time it was done it may not have been; however, it must have been there. May have been a misjudgment due to the person 3 writing the report. 5 MR. OCHS: Near the end of the documents on file, beginning on 6 page AR30348, it says alternative three is preferred. Yet, in 7 8 the newspaper article on April 17th you indicate alternative four is preferred. Again, this is confusing because I seem to detect an error on the first page of the data, and near the very 10 end of the six volumes it's hard to read what's in between, but 11 I seem to find, you know, confusion at the beginning and at the 12 13 end. 14 MS. BARNETT: 15 You're talking about -- when you say it was in a newspaper article it was an article or was it in a --16 17 MR. OCHS: 18 Your paid advertisement. 19 MS. BARNETT: I don't have those two documents in front of me. It 20 may be that the substance of each one, whether it is labeled 21 alternative three or alternative four, is the same. 22 MR. OCHS: 23 AR500015 I believe that might be the case but it's confusing 24

for the layperson trying to understand it. Everything in

between is very technical and difficult for the layperson to understand. Now, your memo, Mr. Dennis, of April 26th, which the library received April 29th, referred to incorrect risk value. Was -- I take it you meant incorrect risk value use in that, and new information then was added a few days ago which seems to lower the health risks, that is the carcenogenic risks, as I understand it. I am just a layperson, reduces it, for example. In one case from 953,000 extra chances out of a million to 50,000 chances. In another case it's reduced from 989,000 extra chances out of one million to 20,000 chances. That's on pages six and seven of this document, corrected version you've placed in the library just a couple of days ago. Figures can lie and liars can figure, as we know, but it would be interesting to know why the sudden change in toward a lesser risk assessment. It -- my further study revealed higher figures, higher risks, or might in the future EPA minimal levels of acceptance would be lowered? MR. DENNIS:

Let me defer to our toxocologist.

MS. FORMAN:

1

2

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

The first thing I want to emphasize, the error was a simple transcriptional error. It had nothing to do with calculations at all. It was just a transcriptional error from AR50006 the RI to the proposed plan. That's the first thing.

The second thing is, is that all of the risks that

are highlighted in the document refer to future risks. There are no current risks posed by this site.

MR. OCHS:

That's another question. I mean, ordinarily when people think of superfund site they think of some risk to the environment, to public health, safety. You might explain how this is an exception to that perception.

MS. FORMAN:

It's not an exception. The risks state the risks to public health. Those are the risks to public health of an individual contracting cancer. These are the probabilities of their risks if exposed to the contaminants at the site at those concentrations. Again, you understand that there are no current risks. People are not currently exposed to these concentrations, but the Superfund Program mandates we also protect people from -- people in the future who may come to the site at a later point in time and thereby can be exposed to the same concentrations if we were not to do anything at the site. Therefore, we evaluate both current exposure risks as well as future -- extrapolating those data to the future case. Does that make it clearer?

22 MR. OCHS:

You seem to be saying there's no risk at the present. People would say, then why bother doing anything 500017

25 | MS. FORMAN:

Because there's contaminating groundwater and we 1 2 don't only consider risks to human health, but we also consider i risks to the environment, and the risk to the environment is the preservation of the groundwater and the drinking water source for the same. 5 MR. OCHS: 6 7 Is that indirectly a risk to the population? MS. FORMAN: 8 9 In the future. MR. OCHS: 10 11 But not over the past; there has been no risk by 12 consuming this water? 13 MS. FORMAN: 14 Nobody has been consuming this. That's the point. Nobody has been consuming the water which is contaminated. 15 16 contaminated water is on site. The off site residents are 17 exposed to water from a municipal water supply. 18 MR. OCHS: 19 This is also the reserve water system for the city? MS. FORMAN: 20 21 Right, but--22 MR. OCHS: 23 It's been used in the past. People have cons water from this well field. 24 25 MS. FORMAN:

But the well field is not contaminated. 1 2 MR. DENNIS: 3 Well, the well field is contaminated; however, the water drawn from the contaminated well field is treated to 4 nondetectible levels before it is put into the line for the people to consume. 6 MR. OCHS: 7 You don't have any history to when this began before it was treated? People could have been consuming this water. 9 10 MR. DENNIS: 11 That's a possibility. MR. PIKE: 12 The basic risk assessment that is used for a base 13 line of the Superfund site is current use, and that risk 14 15 assessment shows there is no exposed populations currently. We did not evaluate what happened in the past prior to public water 16 17 lines being extended, air stripping towers being built or 18 whatever. We look at what's current and what is potential for future use. 19 MR. OCHS: 20 You have no history of how long this chemical has 21 22 been contaminating the reserve water system for the city? 23 MR. PIKE: We did not evaluate the risks posed in the past. 24

25

MR. DENNIS:

Obviously there is nothing we could do to address that anyway, but we can address it in the future. That's what we propose to do.

MR. OCHS:

1

6

7

8

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

On page AR303424 you talk about the health effects of the site, contaminants on the following potentially exposed Then you list some of those. pollutions. I think that's in this document, page five -- on page five, summary of site risks, the bottom page, the full paragraph. Do you have any sense of what the effect of deep breathing would be of the compounds of volatilizing from on site soils and air strippings? For example, there are tennis players and baseball and softball players who play recreational near these towers now being concerned about the emissions. Seems to me that -- you know, if I am trying to change the focus now from the emissions in the water as a dump site now to the emissions into the air as a dump site; young children play at the original Little League Field next -- adjacent to the air stripping tower, toddlers in the wading pool at Memorial Park across the street. It seems to me you're only considering Elm Park in this paragraph on page five. In terms of air Memorial Park is just across the street. emissions, people play there.

Also, is there any change in the effect of 200 rscn from normal breathing to the kind of, you know, heavy breathing you do when you exert yourself in recreational activities such

as the players at Bowman Field, for example?
MS. FORMAN:

1

3

4

5

6

7

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

The risk assessment calculation, the number that is spit out of the risk assessment calculation depends on a number . of factors. One of those factors is how much a person breathes per day. Many of the factors that are included in the calculations are not representative of a normal person. representative of a sensitive person, somebody who may have asthma, for example, the elderly, some sensitive sub-populations in addition to the risk calculation and the exposure parameters that are conservative or overestimated, if you want to use that term, are the relative toxicity factors or factors which are based on the animal data derived in the laboratory which says how toxic a compound is. Those compounds are -- those numbers are also conservative, which is why at the end of each one of the paragraphs which evaluate site risk there is a statement that says even though these are the maximum risks it is a highly conservative estimate, and the actual risk is probably much, much less than what's stated here, but this is the absolute, absolute maximum, so EPA takes the position of being conservative in order to protect all -- all the sensitive sub-populations that may be exposed to the contaminants. MR. OCHS:

I was concerned about that. In the paragraph you don't mention the sensitive sub-populations. You seem to

exclude Memorial Park. 1 MS. FORMAN: 2 They're not included -- they're incorporated. 3 They're not specifically spelled out, but they're in the -- in the calculations. MR. OCHS: People are concerned here, for example, about a regional incinerator being proprosed. Some people think the 8 wind only blows one way, but the wind around the air stripper 9 blow the emissions in different directions, not just to Elm 10 11 Park, as this paragraph suggests. Also, we've learned from this regional incinerator being proposed, sometimes air inversion 12 sometimes flows. How would that affect emission intake in terms 13 of peoples' inhaling the emissions from --14 15 MS. FORMAN: 16 It's my understanding that the air -- our air people have taken a look at this report and have evaluated the maximum 17 areas where concentrations would occur, and in that respect they 18 would have taken into account any processes such as inversion. 19 MR. OCHS: 20 Do you have any information update when air inversion 21 occurs in this valley? 22 MR. DENNIS: 23

Not on hand, no, I don't, but I can

25 MR. OCHS:

Is there any caution that contaminants not released during such days, or isn't this a factor?

MR. PIKE:

Let me add a factor. The air emissions from the stripping towers, is existing towers and there will be more that the factor of the stripping towers.

stripping towers, is existing towers and there will be more than likely future towers for expansion of towers to accommodate the proposed additional volumes of water to be treated. There is approximately a year long design phase before anything is -- new is brought on line. During that design there is an analysis of the potential emissions from those stripper towers, and any required controls for air emissions would be added on.

MR. OCHS:

1.2

That would be announced before your late June record of decision?

MR. PIKE:

The record of decision would identify the standards that it would have to meet, the air emission standards, whatever they may be, and then the decision would have to meet those limits.

MR. OCHS:

Any other alternatives besides changing the direction of these toxics from groundwater to air? Can we keep them from what water treating -- you're trying to get them 5000 023 he groundwater to protect water environment. Can you protect the air environment?

MS. FORMAN:

1

There's going to be some controls put on top of the air strippers to prevent volatilization of the compounds during the stripping process.

MR. OCHS:

And you would use the best available technology?

7 MS. FORMAN:

Absolutely.

9 MR. OCHS:

Would money be available ten, twenty, thirty years

hence if better technology becomes available?

12 MS. FORMAN:

13

14

15

17

18

19

20

21

22

23

24

25

I believe if better technology is available, correct me if I'm wrong, if better technology is available there's always the option of using that.

16 MR. PIKE:

We would identify the standards in the record decision that would have to be met. Those standards would be the ones applied for future use unless we find in the future that health effects are more of a concern than what they currently are. If there's new exposure information or new toxicity information that comes up, then we have the ability to go back and re-examine whatever controls are process and concern over what limits would be put on the stripping towers or

any kind of control technology. There is also in Superfund a built-in five-year review where at the minimum of after five years of operation of the system EPA comes back and re-examines the whole site to determine if the remedy is still protective, and if it is not, at that time then it certainly will be readressed.

MS. BARNETT:

We'd use whatever technology that would work for us to meet the standards. If something was still working well for us and new technology came up, as long as that old technology is still meeting the standards, we'd probably continue to use that.

MR. OCHS:

The fish in the river, the creek that are fished and eaten, apparently that would pose no threat to human health. There's going to be a demonstration compost patch next to the air stripping tower, apparently wouldn't affect any vegetable gardens. I am asking that question. Firehouseworkers next to the air stripping tower, not adversely affect workers there, or neighbors. Has there been any epidemiological study of cancer rates in the site area?

MR. DENNIS:

There's currently a health assessment being done by the Pennsylvania Health Department at this time. That study $\frac{\text{AR}\,500025}{\text{M}\,\text{B}\,\text{C}\,\text{B}\,\text{C}\,\text{C}}$ will be available, I believe, sometime in the summer or early fall where -- and there are epidemiologists involved in that

study, so that is basically called a health survey, health survey assessment of the Avco Lycoming facility site in 2 conjunction with EPA's action and study being taken into the site. That will be available for public review as soon as it's released. 5 MR. OCHS: 6 7 Do you have a name or department? Is this the local Department of Health? 8 MR. DENNIS: 9 It's the Pennsylvania Department of Health. 10 have regional offices, one which is here in Williamsport, I 11 12 believe. Larry, help me out. MR. NEWCOMER: 13 Frank Bercovich, the Regional Office of the 14 Pennsylvania Health Department, is in charge of that study, or 15 16 at least involved in it. MR. OCHS: 17 Is Avco or will any other agency do an 18 epidemiological study of health among workers on site who are 19 20 nearest the actual chemicals being used? MR. DENNIS: 21 22 Not that I am aware of at this time. I am not familiar with any of that. That doesn't mean they're not, but I 23 24 am certainly not aware of any being conducted. 25 MS. BARNETT:

That would probably be on an Occupational Safety and Health Administration type study if workers were being placed at risk. Specifically we are talking about workers in an active facility.

MR. OCHS:

risk?

б

1.5

EPA has made no assessment of whether workers are at

MR. DENNIS:

Nothing more than the evaluation of the risk assessment that was performed.

MR. OCHS:

That was risk assessment as a result of anatominated, not worker. I would suggest that since I found a mistake at the beginning and confusion at the end that -- and it's so difficult to read what's in between, and many laypeople who lack an understanding of it, could we ask for an extension of the comment period of, say thirty days until June 17th or perhaps to May 29th which would be thirty days following Mr. Dennis's addenda that was received here April 29th? Or even more, could we ask for some technical assistance for the lay community to understand exactly what the six volumes represent in terms of a threat to community health and safety, environmental quality of the air and water? Aren't grants available for term 50027 assistance so we could get -- understand the alternatives and have public information sessions where the six volumes could be

interpreted to interested community parties, therefore, delay the record of decision until such technical advice is available to the community?

MS. BARNETT:

There were several points you brought up in that and I can address some of them. The first of which we do understand that technical information can be hard for the layperson to understand. That is in fact one of the reasons why we hold meetings such as this so we can explain exactly what's in there and answer any questions that may arise from people who look at it.

Another thing is that something called a technical assistance grant is available for laypersons, and what it is is that EPA has the capacity to award a grant in the amount of \$50,000 to a qualified citizens group that, you know, is in existence for the purpose of studying the site who is interested in the site and, you know, there is an application process there, and there can be some work involved in doing the accounting, but as far as I know, anybody who has applied for that and who is qualified to receive it has received it. I would be quite happy to send you information about that. If you have your name on the mailing list I'll do that.

23 MR. OCHS:

What's the best timing for that -- timing for that

25 process?

1 MS. BARNETT:

2

3

8

11

12

19

20

21

22

23

24

25

The best timing for that process honestly is probably during the remedial investigation stage. Now, that stage is obviously drawn to a close in this case; however, as far as I know, there are no limitations as to when those awards can be made.

MR. OCHS:

Is it our oversight in the community for not knowing about this potential assistance being available?

10 MS. BARNETT:

No, it's not your oversight in the community for not knowing about it.

13 MR. OCHS:

You're saying it might have been better earlier to

15 | have it?

16 MS. BARNETT:

17 Yes, it probably would.

18 MR. PIKE:

there's matching funds, and there is a fairly detailed process that has to be followed to obtain the grants, and because of the timing involved with that, it is helpful to do that early on in the process so that you have the expertise available for review AR500029 of documents like the ones that are in the administrative record when they are placed there, so the timing -- may have missed the

```
timing to be able to review these documents, but there may be --
  1
      if you're interested we can follow up, and there may be
  2
      assistance available for future reviews.
  3
      MR. OCHS:
  5
                 Perhaps maybe we should have been informed of this
      availability sooner.
  6
      MS. BARNETT:
                 That's possible, however, quite honestly there has
  8
      not been an abundance of public interest in this site.
      MR. OCHS:
 10
                 Is this the first or last hearing?
. 11
      MS. BARNETT:
 12
 13
                 I don't know whether there were previous meetings
 14
      before this.
 15
      MR. DENNIS:
 16
                 This is the first EPA has held.
 17
      MR. OCHS:
 18
                 Will there be subsequent --
      MR. DENNIS:
 19
 20
                 We don't have a plan --
 21
      MS. BARNETT:
 22
                 If there is a demand we'll hold them.
      MR. OCHS:
 23
 24
                 I thought -- one other question on this. My
      understanding is that some people actually have their own wells
 25
```

```
and are consuming or using water from these contaminated well
 1
     fields in an area called the Patch. Local people know that as
     the foot of Rose Street, and apparently that's no longer being
     -- people are no longer using water from these contaminated well
 5
     fields.
     MR. DENNIS:
 7
                Not to our knowledge. Based on the remedial
     investigation they've done a pretty thorough survey and
 8
 9
     identified any users within the three-mile radius of the
10
     facility.
11
     MR. OCHS:
12
                How many miles?
13
     MR. DENNIS:
                I believe it was a three-mile radius of the facility.
14
1.5
     MR. OCHS:
                You don't think water was ever used for food
16
17
     processing?
     MR. DENNIS:
18
                I am not saying ever used. I don't think it's being
19
20
     used currently.
21
     MS. BARNETT:
22
                Do we have any questions from anyone else in the
     audience at this time?
23
24
     MR. BARR:
```

I have another -- Jim Barr from the Sun Gazette

again. Your summary here says that the alternatives include 1 limiting of future property use. Would you explain what that means? 3 MR. DENNIS: 5 That's related to the facility itself. That -that's related to the soil contamination that was found so we 6 can minimize the -- anyone going in there and digging up the foundation and being directly exposed to the contaminated soils. 8 MR. BARR: Doesn't restrict the kind of activities that Avco 10 11 or--MR. DENNIS: 12 Not -- well, you're looking to use the word restrict. 13 We'd put controls on what they can do as far as any excavation, 14 for example. 15 MS. BARNETT: 16 17 Do we have other questions? Yes. MR. NICHOLSON: 18 19 Walt Nicholson from Williamsport Municipal Water Authority. You said that there had been some consideration by 20 21 EPA of not doing additional off site work pending an evaluation

that will you take into consideration the mass AFD TO TRANSPORT TO THE STREET TO THE S

22

of the effectiveness of the containment on site. In evaluating

material in that area? In other words, would a period of -
short of a year or two be sufficient time to be able to evaluate
that strategy?

MR. DENNIS:

We're thinking now at least a year, if not two, preferrably two years of operation of the on site -- new on site system as identified in and described would be used to model, for example, the massive transport of that plume between the facility boundry and Third Street, for example, and get an idea of exactly what we're dealing with, if we can put a number on it. Sometimes that's very difficult, and using that information as well as additional risk assessment for the off site, come up with a plan to most appropriately effectively capture, recover and treat that on site contaminated plume.

MR. NICHOLSON:

16.

Would the evaluation expense of doing that sort of thing actually be as much as, you know, a certain modest amount of off site additional recovery down in the Elm Park area?

MR. DENNIS:

At this time I am not sure I understand the question.

MR. NICHOLSON:

I think that, you know, when you look at the -- some of the dollar expense on studies up to this point, will AR500033 additional studies be cost effective relative to actual additional off site clean-up?

MR. DENNIS:

It's hard to say now. We think it would be because it would better help us to exactly pinpoint where most effectively we could place additional off site recovery where it would be most effective in recovering that plume and enhancing the clean-up time period, we'd think, hope to think additional studies would be beneficial for the clean-up period.

MR. NICHOLSON

Another question. Some of our data indicates, I think, figure 530 on an overhead where the south end of the plume was extrapulated and shown to essentially end at Third Street. If you put that back up, I would think right there, it's our experience that extends west across Lycoming Creek impacting our well No. seven and also continues on the east side of the creek, all the way down to and including our well No. 10 off the bottom of the picture there. Would it be advisable to consider the expansion of monitoring the wells used in the further evaluation in the next few years to include more points in and around the public water supply well field?

MR. DENNIS:

I think it would be -- I think we'll take that under strong consideration, not only to consider additional recovery in the vicinity of Elm Park or Third Street as a result of the AR500034 one year or two years of operations of the on site system, but to also, based on some of the results we've come up with the

```
same questions. How far beyond Lycoming Creek, if at all, does
 1
     this plume extend? And I think we'd certainly want to
     investigate that and see where the boundries of the plume really!
 3
     do go, so we'll certainly consider that part of the
     investigation to include that in the investigation -- in the --
 6
     in future investigations.
     MS. BARNETT:
                Do we have other questions? Yes.
 8
     MR. BARR:
10
                When do you expect this clean-up process to be
11
     initiated?
12
     MR. DENNIS:
13
                We'd hope that within two years of the ROD.
     Certainly we'd have an operational groundwater recovery and
14
15
     treatment system.
16
     MS. BARNETT:
17
                The ROD is the record of decision. Any other
     questions?
18
19
     MR. OCHS:
20
                Michael Ochs. You say after Avco's already made some
     comment to you in writing about prefers only on site as opposed
21
22
     to further off site treatment?
23
     MR. DENNIS:
                                                   AR500035
24
                Correct.
```

25

MR. OCHS:

```
Are those comments included in the six volumes on
 1
     file?
 3
     MR. DENNIS:
                They were just received. We anticipate receiving
     further ones in the future. They'll be included in the response
 6
     of the summary as well as answered in the response of the
     summary.
    MR. OCHS:
8
                When is the responsive summary to be issued?
    MR. DENNIS:
10
11.
                That will be part of the record of decision.
     MR. OCHS:
12
13
               Late June?
    MR. DENNIS:
14
15
               Late June.
    MR. OCHS:
16
17
                My inquiry about extending the comment period and the
18
     record of decision date in the event that a community group
19
     comes forward to apply for a technical assistance grant --
20
     MR. DENNIS:
21
                An extension will be considered.
22
    MS. BARNETT:
23
               Do we have other questions?
                                                   AR500036
    MR. NICHOLSON:
24
```

Relative to the off site pumping on Third Street

recovery well, they're presently pumping at a thousand gallons a minute or so. Has any consideration or study been given to the potential of actually pulling more contaminants into the immediate well field area due to the high pumping rate that not -- normally that would have come over that way from other areas around there? Would a consideration be given to any other off site wells that might have a potential of -- to have that pumping rate lowered to a lower level, that maybe would not cause the point of depression to be quite that extended as it is There's another point to not potentially impact on the capacity of the public water supply well field with the width and extent of that ton of depression at this time. If we'd use the well field to its maximum capacity, there's some concern that that would limit our recharge potential and availability of groundwater there.

MR. DENNIS:

The Third Street well in itself would limit the recharge capacity.

MR. NICHOLSON:

That code of depression for that overlaps a number of our wells. The old well No. nine would maybe be put back into use, having the use of contaminants were discovered, well seven, well three and to some extent well four.

AR500037

MS. CICHOWICZ:

I think they're pumping now at 650 gallons per minute

25

24

1

2

3

5

6

10

11

12

13

14

15

16

17

18

19

20

21

22

1 | rather than a thousand.

MR. NICHOLSON:

Recently I think one of the comments in the ERM material indicated it was still going at a thousand. The fact it has been cut back closer to seven hundred, I think that evaluation of continuation of that rate should include impact on the potential capacity of our well field.

MR. DENNIS:

That can be done.

MS. BARNETT:

Do we have other questions?

MR. OCHS:

Have you made any study of the -- I am -- again, I am changing my focus from the water to the air, trying to preserve the quality of both. Have you made any study of the effect of the addition of the chemicals released by air stripping that those chemicals add to what Avco already releases? Their toxic release inventory sheets indicates they're still releasing a number of toxics into the air. BroDart at Oliver and Scott Street has air emissions. Glyco across the creek there is an industrial park, annually report their toxic sheets any synergistic effect of all this mingling together during an air inversion, for example?

24 MR. DENNIS:

We haven't evaluated synergism at this point. We can

certainly consider that would be done. 1 2 MR. OCHS: 3 You also have Route 15, 220 bypass there, a lot of auto truck emissions. 4 5 MS. BARNETT: 6 Do we have other questions? Okay, I'd like to thank everybody for coming. 7 there anything --8 MR. PIKE: 10 I want to reiterate and thank you for coming and also 11 thank you for the questions, because there's been some very good 12 ones and some of 'em we'll also give additional answers to at 13 the -- in the responsiveness summary. I want to reiterate this 14 is a proposed plan that everyone has in front of them, and 15 public comments are very important to us in our ultimate 16 decision of what remedial action is necessary for this site. 17 MS. BARNETT: If anybody has any questions they'd like to see us 18 19 about afterwards, we are going to be here if you have anything 20 you want to know. 21 (Whereupon, the meeting was adjourned at 8:05 p.m.) 22 23 AR500039 24

1	COMMONWEALTH OF PENNSYLVANIA :
2	: SS.
3	COUNTY OF LYCOMING :
4	
5	
6	
7	I, Dawn M. Sweeley, a Notary Public in and for
8	said Commonwealth and County do hereby certify that the witness
9	named in the foregoing deposition was personally sworn by me at
LO	the time and place designated for the taking of the said
11	deposition; that this is a true and correct copy of the notes
12	taken by me at the time and place set for the taking of the
13	deposition; that I have no interest whatsoever in the outcome of
14	these proceedings.
15	· :
16	
17	
18	Naun M Swedy
19	Notary Public
20	My Commission Expires:
21	
22	
23	AR500040
2.4	[